

### **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Cassandra Wilkinson (Reg. No. 58,879) on May 20, 2009.

The application has been amended as follows:

*In the Specification...*

[0050] The interlayer binder is manufactured according to the procedure previously described in ~~paragraph 34~~. If the road is not structurally sound or is severely distressed, it should be patched and repaired before applying the interlayer. Next, the roadway surface should be prepared for receiving the interlayer by optionally sealing cracks and sweeping away loose particles.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to William P. Fletcher III whose telephone number is (571) 272-1419. The examiner can normally be reached on Sunday, 5:00 AM - 12:00 PM and Monday through Friday, 5:00 AM - 3:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Timothy H. Meeks can be reached on (571) 272-1423. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/William Phillip Fletcher III/  
Primary Examiner, Art Unit 1792

May 20, 2009